

SCX-8123NA / SCX-8128NA A3 MultiXpress Monochrome Laser Multifunction Printer

Office efficiency. Now in a more efficient package.



Samsung SCX-8123NA / SCX-8128NA A3 Mono Laser MFPs



Getting even more productivity in a workday is the new status quo and Samsung offers more than one way to keep up. Introducing the Samsung SCX-8123NA and 8128NA A3 mono laser MFPs. Compact, powerful and simple to use, they provide the performance today's businesses need to realize an efficient output of documents and a more streamlined workflow.


Powerful, Professional Performance

Samsung SCX-8123NA/8128NA MFPs deliver advanced powerful features to get more results out of your workday with a level of quality that will always represent your company with the highest degree of professionalism.



Exclusive Samsung Technology Delivers Sharp, Crisp Prints

Samsung's exclusive ReCP (Rendering Engine for Clean Page) Technology automatically sharpens the focus of both graphics and text. Edges and negative type are enhanced and sharpened for professional results, and images are de-screened to look more natural and cleaner.



Superior, Polymerized Toner

Samsung's polymerized toner improves your output several ways. It features smaller and more uniform particles than conventional toner, for crisper lines and more vivid detail. It eliminates paper curling. Its higher wax content adds a rich glossiness to images, while preventing fading. Lower fusing temperature saves energy and wear.



High File Compression

Samsung's MRC (Mixed Raster Content) technology compresses scanned file sizes significantly with no reduction in quality. You can save storage space and working time, and more easily send scanned files.



Powerful Processing

Office productivity increases dramatically with fast printing and scanning capabilities. A fully integrated 1GHz Dual Core processor handles large print and copy jobs faster, as well as scan throughput. In fact, every task is completed up to 1.5 times quicker, so you can spend more time producing and less time waiting.

Versatile, Flexible, Easy to Use

The more your MFP allows you to do, the more valuable it is. Samsung SCX-8123NA/8128NA MFPs are simple and versatile, for efficient and flexible workflow.



Quick and Easy Setup

Samsung SCX-8123NA/8128NA MFPs install easily and get to work guickly. Setup is simple and fast with everything you need, including a pre-installed DADF (Duplex Automatic Document Feeder).



Make the Most of your Floor Space

The compact, streamlined designs of the MFPs mean they'll occupy very little floor space. The space-saving 350-sheet inner finisher and internal card reader add utility without adding size.

Easy Mobile Print App



Print from your mobile devices directly to the MFPs with the free Samsung Mobile Print App. Just connect wirelessly and print, without the need to install any print drivers.



Samsung Easy Mobile Print App earned the 2012 Outstanding Achievement Award from Buyers Lab, Inc.

Cost Saving, Hassle-Free Ownership

Control costs with separate toners and OPC drums. You don't have to change both when only one part wears out. The Developer unit provides a yield of 300,000 pages*, for even further reduced maintenance.

*Declared carttridge yield value in accordance with ISO/IEC targets.

Intuitive 7" Color Touch Screen

Get started quickly with an intuitive user interface. The large, easyto-read color touch screen guides users with smooth scrolling. Even first-time users can manage complex jobs quickly and easily.

- User Menu Customization (Up to 40 Shortcut Icons) Save time with jobs you do regularly.
- Smart Search Find specific functions quickly by typing in the keyword.
- Quick Copy Access all copy functions at a glance.





XOA Open Architecture (SCX-8128NX Only)

The Samsung SCX-8128NA is also available as the SCX-8128NX, which features a built-in platform that allows developers to create customized embedded applications. Based on open standards, Samsung XOA open architecture enables the SCX-8128NX to meet the specific needs of every customer's business.

Samsung MPS, Mobile, Security and Productivity Solutions

Samsung offers intelligent in-house and partner solutions that increase office productivity.

Document Management/Workflow Managed Print Services Job Accounting/Pull Printing Device Management PrintFleet Drivve[∆] GreatAmerica PaperCut[△] SvncThru 6* SyncThru* SmarThru Pharos[∆] MWAi[∆] OCM[△] (Web Services) (Web Admin) (Workflow)* Prism[∆] Leasing Equitrac[△] Perceptive^{∆***} Intellinetics[△] • I MI Jetmobile Bits[△] Compass MaxxVault^{∆***} DPD - GoldFax[△] Genius Bytes[△] Vendapin • SafeCom^Δ • EFI MSUNG

Controlling Costs, Controlling Security

The success of your business is an all-encompassing priority for Samsung. We create ways for you to work more efficiently, to save resources and money. And we create ways for you to work securely to protect your information and your ideas.



Efficiency that Saves Money and Resources

Save paper and energy with the Samsung SCX-8123NA/8128NA MFP's ECO button. With a single touch, you can print more images on every page, including 2-up, 4-up and duplex printing, to save paper. You can save paper with automatic blank pages skipping. And the Easy Eco Driver allows you to preview your document before printing, reducing wasted printouts and saving you even more paper and toner.

Monitor Your Usage

With Single Sign On, a user logs in once to access all Samsung solutions. With Samsung SyncThru™ Admin, IT can easily monitor and manage usage.



A Secure Office

To ensure data security, the Samsung Security Framework is standard. It provides a secure network that helps prevent unauthorized access to confidential information.

- Common Access Card (CAC)*
- SecurThru*
- Common Criteria*
- RF IDeas



Samsung Eco-Driver earned the 2012 Outstanding Achievement Award from Buyers Lab, Inc.

Configurations & Options



Specifications		SCX-8123NA	SCX-8128NA	
Print				
Engine Speed	Simplex	Up to 23 ppm in Letter, Up to 12 ppm in 11 x 17	Up to 28 ppm in Letter, Up to 14 ppm in 11 x 17	
First Page Out Time	From Ready	9 sec.	8 sec.	
Resolution	Optical	600 x	600 dpi	
Resolution	Enhanced	Draft: 600 x 600 dpi (600 x 600 x 1 bit), Normal: 2400 x 600 dpi Effective Outp	out (600 x 600 x 2 bit), Best: 9600 x 600 dpi Effective Output (600 x 600 x 4 bit)	
Printer Languages		PCL5C, PCL6 (XL), PostScript Level3, PDF 1.7+, XPS		
Fonts/Downloadable Fonts		PCL: 93 scalable, 1 bitmap, OCR-A, OCR-B, PS:136 / Yes (PCL & PS3 S/W Font)		
Controller and Software				
XOA (Extensible Open Architecture)		N/A SCX-8128NX		
Processor (CPU)		Chorus4N Dual Core 1 GHz		
DRAM	Standard/Max	768MB DDR3 SDRAM (512M)	B for System + 256MB for GUI)	
Storage		Optional 320GB HDD (Usable Space [Document Box Space]: 88GB)		
Printer Driver	(Supporting OS)	Windows®: 2000/XP (32/64bit)/2003 (32/64bit)/Vista (32/64bit)/Vista (32/64bit)/2008/Win7/2008 R2 (64 only), Linux: RedHat Enterprise Linux WS 4, 5 (32/64bit)/Fedora 5, 6, 7, 8, 9, 10, 11, 12, 13 (32/64bit)/SuSE Linux 10.1 (32bit) OpenSuSE		
		10.2 10.3, 11.0, 11.1, 11.2 (32/64bit)/Mandriva 2007, 2008, 2009, 2009., 2010 (32/64bit)/Ubuntu 6.06, 6.10, 7.04, 7.10, 8.04 8.10, 9.04, 9.10, 10.04 (32/64bit)/SuSE Linux Enterprise Desktop 10, 11 (32/64bit)/Debian 4.0		
		(32/64bit), Mac: OS X 10.5 – 10.7		
Interface				
USB	HOST		2.0 Host (2-port)	
USB	DEVICE	High-Speed USB 2.0 Peripheral (1-port)		
Wired LAN		Ethernet 10/100/1000 Base TX		
Foreign Device Interface		Optional (CLX-KIT10F)		
Network Interface		Microsoft® Windows® 2000, XP (32/64bit), 2003 (32/64bit), Vista (32/64bit), Win7 / OS 10.5 – 10.6 / RedHat 8 – 9, Fedora Core 1–4, Mandrake 9.2 – 10.1, SuSE 8.2 – 9.2, Netware 5.x, 6.x (TCP/IP Only), Unix (HP-UX, Solaris, SunOS, SCO)		
Windows / Mac / Lir				
NW Protocols	TCP/IP		ec, DNS, WINS, SLP, Bonjour, SSDP, DDNS, DHCP/BOOTP, IPv6	
	NetBIOS over TCP/IP		es MADO IDO	
IP Addressing	Others		APS, IPSec	
J		Static IP, Auto I	P, BOOTP, DHCP	
User Interface			is LCD with Tough Coroon 24 hit color	
Display LCD			7" 800 x 480 WVGA TFT Color Graphic LCD with Touch-Screen, 24-bit color Power Start Stan Interrupt Numeric Kounad Poort Counter Joh Status FCO Logget Close On Hook Diel Podial/Power	
Key/Button Scan	Scan Method	Power, Start, Stop, Interrupt, Numeric Keypad, Reset, Counter, Job Status, ECO, Logout, Clear, On Hook Dial, Redial/Pause Color CCDM-MMT		
Juli		TWAIN (N/W)		
	Compatibility Resolution	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		
		Optical: 600 x 600 ppi, Enhanced: 4,800 x 4,800 ppi 256 levels		
	Halftone		reveis crements (Platen/DADF)	
	Zoom Range			
Scan-to	Multi Copy 1-9999 HDD Yes (Shared Folder)			
Scall-to	USB	res (orient or orien) Yes		
	Email		es	
	Client (NetScan)	Yes (N/W)		
	SMB	Yes		
	FTP	Yes		
Fax Compatibility		ITU-T G3, Super G3		
	Modem Speed	33.6 Kbps		
	Compression	MH/MR/MMR/JBIG		
	S. Fine (Super Fine)		300 dpi	
	Speed Dial	200 locations (HDD Option: 500 locations)		
	Group Dial		ons per 1 Group: 100 locations)	
	Multi-Send		5 locations	
Paper Handling	Standard Capacity	1,140 sheets, 520-sheet cassi	ette Tray x 2, 100-sheet MP tray	
	Max. Input Capacity	MP + 4 Tray	2,180 sheets	
Multi-Purpose Tray				
Capacity		Plain Paper: 100 sheets @ 80 gsm, Envelopes: 10 sheets @ 75 gsm, Labels: 20 sheets @ 120 – 159 gsm, Thick Paper: 10 sheets @ 176 gsm		
Media Sizes		98 x 148 mm -297 x 432 mm (3.87 x 5.8" - 11.7 x 17")		
Media Type		Printer Default, Plain, Thick, Thin, Bond, Color, Cardstock, Labels, Envelope, Preprinted, Letterhead, Recycled, Cotton, Archive, Glossy		
Media Weight		16 – 46 lb. (60 to 175): Simplex, Duplex		
Sensing Standard Cassette Tray		H/W Install Detect, Paper Empty and Low Level Detect, Paper Size Detect		
Standard Cassette Iray Capacity				
Media Sizes		520 sheets @ 21 lb. (80 g/m²) x 2 Ledger, A3, Letter, Legal, Oficio, Folio, A3, A4, JIS B5, ISO B5, Executive, A5, Statement, Custom		
Media Types		Plain, Thin, Bond, Punched, Pre-Printed, Recycled, Label, Cardstock, Letterhead, Thick, Cotton, Colored, Archive, Glossy		
Dual Cassette Feeder		riam, min, ponu, runoreu, rre-rimieu, necycleu, Lauei, palusiuos, Leitenneau, mics, cottoni, culoreu, Archive, giossy		
Capacity		520 sheets @ 21lb. (80 g/m²) x 2		
Media Sizes		S20 Sireets @ 211b. (e0 g/m²) X 2 Legder, A3, Letter, Legal, Oficio, Folio, A4, JIS B5, ISO B5, Executive, A5, Statement, Custom		
Media Types		Plain, Thin, Bond, Punched, Pre-Printed, Recycled, Label, Cardstock, Letterhead, Thick, Cotton, Coltred, Archive, Glossy		
Automatic Duplex				
Supporting		У	es	
DADF				
Capacity		100 sheets (21 lb., 80 g/m²)		
Document Size		Width: 140 – 297mm, Length: 140 – 432mm		
Consumables		mous the Estima Conges the Toleran		
CRU		Tare MIT D7000 levels a lith MIT D700 W. J. T. C. MIT M700		
		Toner: MLT-D709S, Imaging Unit: MLT-R709, Waste Toner Box: MLT-W709		
Toner (Polymerized)		25,000 impressions @ 6% Mono Chart		
Environment		^^ 11∩ _ 197V /.1∩Q AQ\		
Dimensions		AC 110 – 127V (-10%~6%) 22 05" (M) v 24" (D) v 21 27" (H) (Includes Standard Document Feeder)		
Weight		22.05" (W) x 24" (D) x 31.27" (H) (Includes Standard Document Feeder) 118.14 lbs. (With Standard Document Feeder)		
Options		110.14 ibs. (Willi Statilidati Document Peeden)		
Dual Cassette Feede	er / Inner Finisher	CLX-PFP100 / CLX-FINSOS (50-Sheet Inner Finisher)		
Hard Disk Drive (HDD)		SCX+IDK470		
Job Separator Tray / Fax Kit / Cabinet				
Stand / FDI Kit / Working Table / Staples		SCX-CLX-JST100 (Job Separator) / SCX-CLX-FAX160 / CLX-DSK20T / CLX-KIT10F / CLX-WKT001 / SCX-STP000		

*Print speed will be affected by operating system used, computing performance, application software, connection method, media type, media size and job complexity. **Copy speed is based on Single Document Multiple Copy, Preliminary specifications subject to change. Non-metric weights and measurements are approximate.

samsung.com/printer

Follow us on Twitter@SamsungBizUSA

Product Support: 1-866-SAM4BIZ | 1-800-SAMSUNG





